#### A Clinical Atlas of Chinese Infants

Anita M.C. Li MBBS (HK), FRCP (Edin), DCH (Lond) Formerly Senior Lecturer Department of Paediatrics University of Hong Kong

Chap-Yung Yeung
MBBS (HK), FRCP (Lond, Edin, Glas, Irel),
FRCP (C), FRACP, DCH (Lond)
Professor and Chairman
Department of Paediatrics
University of Hong Kong

#### **Hong Kong University Press** 139 Pokfulam Road, Hong Kong

© Hong Kong University Press 1996

ISBN 962 209 390 6

All rights reserved. No portion of this publication may be reproduced or transmitted in any form or by any means, electronic or mechanical, including photocopy, recording, or any information storage or retrieval system, without permission in writing from the Publisher

# CONTENTS

Preface			iv
Acknowledgments			v
Section	1	The Newborn (photos 1–27)	1
Section	2	The Preterm Baby (photos 28–40)	15
Section	3	<b>Trauma</b> (photos 41–52)	23
Section	4	Infection (photos 53–70)	30
Section	5	Congenital Conditions (photos 71–106)	40
Section	6	Syndromes (photos 107–135)	59
Section	7	<b>Jaundice</b> (photos 136–144)	72
Section	8	<b>Development in the First Year</b> (photos 145–160)	77
References			86
Indov			27

### PREFACE

A well known Chinese idiom states: 'seeing once is better than hearing a hundred times'. From our teaching experience, we have certainly found that 'seeing' is the most effective way for medical students to learn about child health and clinical paediatrics. In situations when the real clinical condition is not available for viewing, a good picture is the best alternative. Many excellent paediatric atlases have been published, and some have been very popular, but to our knowledge this atlas is the first one in which all the illustrations are of Chinese infants. Whenever possible, we have tried to point out the ethnic difference which may exist in certain areas. It is also interesting to note that in general, the health problems seen in Chinese infants are similar to those reported from other geographical regions. In our endeavour to include representative photographs, we are aware that some are not of ideal quality. It is our hope that this atlas should be useful to medical students and all medical and health workers who provide health care for infants, and Chinese infants in particular.

Anita M.C. Li Chap-Yung Yeung January 1996

## INDEX

(All entries refer to page numbers.) Achondroplasia Adrenogenital syndrome Alpha foetoprotein Amniotic bands Anaemia 27, 57 Anencephaly Atresia biliary 75 bowel 53 duodenal 60 oesophageal Auricles, accessory 41 Beckwith-Wiederman syndrome 70 Birth asphyxia Breast enlargement Bronchiolitis, acute Bronchopulmonary dysplasia 20 Bruise, forehead Buphthalmos Caput succedaneum Cellulitis 3, 22 Cephalhaematoma Choledochal cyst Chondrodysplasia Cirrhosis biliary 76 75 liver Cleft lip, palate 41,64

Collodion baby 71 35, 46 Cornea, cloudy Congenital adrenal hyperplasia (see adrenogenital syndrome) Congenital heart disease 52, 60, 64, 65 -31 Conjunctivitis Constriction ring, leg Cooley's anaemia (see thalassaemia, β) Cornelia de Lange 67 Cretinism (see hypothyroidism) Cri du chat 65 Cystic fibrosis 53 Cytomegalovirus 36 Dermatitis, napkin 31 20 Dexamethasone Diabetic mother, baby of Down's syndrome 52, 60 Dwarf, thanatophoric Edward's syndrome 52, 62 Encephalocoele Enterocolitis, necrotizing (NEC) 20 Erythema neonatorum - 11 toxicum Exomphalos 70 Foetal distress 2, 11, 14, 24 Fracture multiple 68 skull 28 Glaucoma, congenital Glucose-6-phosphate dehydrogenase, erythrocyte - 56, 7*3* Haemangioma, capillary 42 Haemoglobinuria Haemorrhage intraventricular 21, 48 pulmonary 6, 18 scalp wound subaponeurotic Hand regard

Harlequin colour change foetus 71 Head lag 18,79 Hemiatrophy Hemihypertrophy, congenital 46 Hepatitis, neonatal Hernia diaphragmatic 54 inguinal umbilical 13 Hyaline membrane disease 7, 18, 21, 28 Hydramnios 49, 53 Hydranencephaly 47 Hydrocephalus 21, 48, 50, 55 Hydrocoele Hydrops foetalis 57 Hyperbilirubinaemia (see jaundice) Hypocalcaemia Hypoglycaemia 6, 7, 70 Hypothyroidism 51 Hypotonia 18 Intrauterine growth retarded **Taundice** 21, 27, 51, 73, 75, 76 Kasai operation Kernicterus 21 9 Kleihauer's test Lanugo hair 16 Large-for-date baby 7, 70 Lobster-claw 45 Marble bone disease (see osteopetrosis) Mechanical ventilation 18, 20 Meconium 2, 14, 28 Meningomyelocoele 50 Meningitis 33 neonatal 38 tuberculous Microcephaly 36, 48, 65 Mongolian blue spot

#### Mouthing 80

Naevus giant pigmented 43 nape 9 strawberry 42 Necrosis, tissue 29 Nipple, accessory 43
Ophthalmia neonatorum 31 Osteogenesis imperfecta 68 Osteomyelitis, acute 39 Osteopetrosis 56
Palsy cerebral, athetoid 73 Erb's 25 facial 24 Pancytopenia 56 Patau's syndrome 52, 64 Peritonitis, meconium 53 Phocomelia 44 Phototherapy 21, 74 Pincer grasp 84 Placenta 6 Pneumonia aspiration 7, 53 Group B streptococcal 18 staphylococcal 38 whooping cough 37 Pneumothorax 28 Post-term baby 2, 7 Preterm baby 6, 13, 16–22
Rash, purpuric 35, 36 Reflex rooting 5 sucking 5 Respiratory distress syndrome (RDS, see hyaline membrane disease) Rhesus incompatibility, Cantonese 9 Rubella syndrome, congenital 35

Sepsis 11, 20, 21 Stools breast-fed 14 formula-fed 14 Syphilis, congenital 34
Talipes equino-varus (club foot) 45 Teeth, natal 12 Tetanus, neonatal 34 Thalassaemia, α 57 Thalassaemia, β heterozygous 57 major 57 Transfusion exchange 8, 75 foetal-maternal 9 replacement 8 twin-twin 8 Transplantation bone marrow 56 liver 75 Trisomy 13 (see Patau's syndrome) 18 (see Edward's syndrome) 21 (see Down's syndrome) Tuberculosis 38 Turner's syndrome 66
Twin, conjoined 58
Umbilicus cord 11, 34 discharge 52 infection 32 meconium stained 7, 11 Urachus, persistent 52
Vacuum extraction, complication 26, 27 Vernix caseosum 2, 7 Very low birth weight baby 6 Visual fixation 5 Vitelline duct, persistent 52
Whooping cough 37